

## **SECTION 1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Product code : CandorSec  
Trades code : A07-040  
Product line: Tintolav

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Optical bleaching  
Sectors of use:  
Industrial Manufacturing[SU3]

Uses advised against  
Do not use for purposes other than those listed

### **1.3. Details of the supplier of the safety data sheet**

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: [info@tintolav.com](mailto:info@tintolav.com) - Sito internet: [www.tintolav.com](http://www.tintolav.com)

Email tecnico competente: [a.conedera@tintolav.com](mailto:a.conedera@tintolav.com)

National contact: Malta: Emergency Ambulance 112  
Accident & Emergency Department 2545 4030

### **1.4. Emergency telephone number**

The UK National Poisons Emergency number +44 (0)870 600 6266  
London: Emergency 24 hour telephone +44 (0) 207188 0100

## **SECTION 2. Hazards identification**

### **2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:  
GHS05, GHS07

Hazard Class and Category Code(s):  
Skin Irrit. 2, Skin Sens. 1, Eye Dam. 1

Hazard statement Code(s):  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H318 - Causes serious eye damage.

If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.  
The product, if brought into contact with skin can cause skin sensitization.  
If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

### **2.2. Label elements**

Labelling according to Regulation (EC) No 1272/2008:



Pictogram, Signal Word Code(s):  
GHS05, GHS07 - Danger

Hazard statement Code(s):  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H318 - Causes serious eye damage.

Supplemental Hazard statement Code(s):  
not applicable

Precautionary statements:

Prevention

- P261 - Avoid breathing vapours.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

- P302+P352 - IF ON SKIN: Wash with plenty of water and soap.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Disposal

- P501 - Dispose of contents / container in accordance with local and national regulations.

Contains:

Coconut diethanolamide, diethanolamine, Potassium dodecylbenzenesulfonate

Contains (Reg. EC 648/2004):

15% < 30% non-ionic surfactants, anionic surfactants, < 5% optical brighteners

### 2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards  
For professional use only

## SECTION 3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
Coconut diethanolamide	> 20 <= 30%	Skin Irrit. 2, H315; Eye Irrit. 2, H319		68603-42-9	271-657-0	
Potassium dodecylbenzenesulfonate	> 10 <= 20%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Dam. 1, H318		27177-77-1	248-296-2	
2-(2-butoxyethoxy)ethanol	> 10 <= 20%	Eye Irrit. 2, H319	603-096-00-8	112-34-5	203-961-6	
diethanolamine	> 1 <= 5%	Acute Tox. 4, H302; Skin Irrit. 2, H315;	603-071-00-1	111-42-2	203-868-0	

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
		Eye Dam. 1, H318; STOT RE 2, H373				
disodium 2,2'-([1,1'-biphenyl]-4,4'-diyldiviny lene)bis(benzenesulphonate)	> 0,1 <= 1%	Eye Irrit. 2, H319		27344-41-8	248-421-0	

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

#### Direct contact with skin (of the pure product):

Take contaminated clothing immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water and soap.

#### Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

#### Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

#### Advised extinguishing agents:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

#### Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

### 5.2. Special hazards arising from the substance or mixture

No data available.

### 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use

halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)  
Keep containers cool with water spray

## **SECTION 6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:  
Leave the area surrounding the spill or release. Do not smoke  
Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:  
Wear mask, gloves and protective clothing.  
Eliminate all unguarded flames and possible sources of ignition. No smoking.  
Provision of sufficient ventilation.  
Evacuate the danger area and, in case, consult an expert.

### **6.2. Environmental precautions**

Contain spill with earth or sand.  
If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.  
Discharge the remains in compliance with the regulations

### **6.3. Methods and material for containment and cleaning up**

6.3.1 For containment:  
Rapidly recover the product, wear a mask and protective clothing  
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.  
Prevent it from entering the sewer system.

6.3.2 For cleaning up:  
After wiping up, wash with water the area and materials involved

6.3.3 Other information:  
None in particular.

### **6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

## **SECTION 7. Handling and storage**

### **7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors  
In residential areas do not use on large surfaces.  
At work do not eat or drink.  
See also paragraph 8 below.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabeled containers.  
Keep containers upright and safe by avoiding the possibility of falls or collisions.  
Store in a cool place, away from sources of heat and direct exposure of sunlight.

### **7.3. Specific end use(s)**

Industrial Manufacturing:  
Handle with extreme caution.

Store in a well ventilated place away from heat sources.

**SECTION 8. Exposure controls/personal protection**

**8.1. Control parameters**

Related to contained substances:

2-(2-butoxyethoxy)ethanol:

CVE: TWA 10 ppm 67.5 mg/m<sup>3</sup> STEL 15 ppm 101.2 mg/m<sup>3</sup>

MAK DFG 10 ppm 67 mg/m<sup>3</sup>

diethanolamine:

TLV: 2 mg/m (cute) (ACGIH 2002).

Mak: cancerogenicit class: Class 3A; Sh, H (2002)

**8.2. Exposure controls**



Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Related to contained substances:

diethanolamine:

Do not let this chemical contaminates the environment.

**SECTION 9. Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical and chemical properties	Value	Determination method
Appearance	Pale yellow liquid	

Physical and chemical properties	Value	Determination method
Odour	characteristic	
Odour threshold	not determined	
pH	7,0-8,0 sol. 1%	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	> 100 °C	
Flash point	> 60 °C	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	irrelevant	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	1,000 - 1,020 g/cm <sup>3</sup>	
Solubility	Soluble in organic solvents (perchlorate)	
Water solubility	not applicable	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

### 9.2. Other information

No data available.

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

Nothing to report

### 10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.

It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

ATE(mix) oral = 2.554,5 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

Coconut diethanolamide: Irritating

diethanolamine: irritating

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

Coconut diethanolamide: Acute Irritazione\Corrosione eyes

2-(2-butoxyethoxy)ethanol: Eyes-rabbit Result: Mild eye irritation-24h

diethanolamine: Severely irritating

(d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.

Coconut diethanolamide: Non-sensitizing

(e) germ cell mutagenicity: 2-(2-butoxyethoxy)ethanol: Mutagenicity-Bacterial,: negative +/--activation

Chromosomal aberration,: negative +/--activation

Mutagenicity-Mammalian,: negative +/--activation

(f) carcinogenicity: Coconut diethanolamide: IARC Group 2B carcinogen-possible carcinogenic to humans

diethanolamine: IARC: Group 3-3: not classifiable regarding its carcinogenicity for man

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

Coconut diethanolamide:

Ingestion: oral rat LD50: > 2,000 mg/kg

Eye contact: irritating to the eye (rabbit). Can cause irreversible damage to the eye.

Skin contact: moderately irritating for a single application (4 h-rabbit)

Readily biodegradable in accordance with the criteria of Directive 67/548 and subsequent modifications.

LD50 (rat) Oral (mg/kg body weight) = 5000

Potassium dodecylbenzenesulfonate:

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

2-(2-butoxyethoxy)ethanol:

INHALATION RISK: A harmful contamination of air can be reached slowly for evaporation of this substance at 20 °C;

However, for spraying or scattering, much more quickly.

Effects of short-term exposure: the substance is irritating to eyes the effects of REPEATED EXPOSURE or long term: the liquid degreasing the skin features.

ACUTE HAZARDS/symptoms dry SKIN.

EYE Redness. Pain.

LD50 (rat) Oral (mg/kg body weight) = 1720

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2700

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 374

diethanolamine:

ROUTES of EXPOSURE: the substance can be absorbed into the body by inhalation of its fumes and ingestion.

INHALATION RISK: A dangerous air contamination will not be reached or the sar only very slowly by evaporation of the substance at 20 C.

Effects of short-term exposure: the substance is corrosive to the eyes.

Effects of REPEATED EXPOSURE or long-term repeated or prolonged Contact may cause skin sensitization. The substance may have effects on the liver kidneys ACUTE HAZARDS/symptoms EYES Reddening. Pain. Severe deep burns.

INGESTION abdominal pain. Burning sensation.

N O T and not bring home work clothes.

LD50 (rat) Oral (mg/kg body weight) = 710

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 1220

disodium 2,2'-([1,1'-biphenyl]-4,4'-diyldivinylen)bis(benzenesulphonate):

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 3,66

## SECTION 12. Ecological information

### 12.1. Toxicity

Related to contained substances:

Coconut diethanolamide:

Acute/prolonged toxicity to fish: (83d) 2.52 mg/l (brachydanio rerio)

Acute toxicity to Aquatic Invertebrates: EC50 (12:0 am) 2.8 mg/l (daphnia Magna)

Primary: Biodegradabilit > 90% (OECD)

Easy Biodegradabilit: 60% > (manometric Tests, O2 consumption)

Theoretical O2 demand (thod) 2.52 mg O2/mg.

Chemical O2 demand (COD): 2.51 mg O2/mg.

C(E)L50 (mg/l) = 2,39

2-(2-butoxyethoxy)ethanol:

Toxic to fish Lc50-Iepomismacrochirus-1,300 mg/l-96 h CL0-Leuciscus idus (dare or Golden)-> 1,000 mg/l-48 h Toxic to

daphnia and other aquatic invertebrates: Ec50 Daphnia magna (water Flea grande)-2850 mg/l-48 h for Toxic Algae

Desmodemus subspicatus Cl50-(green)-100 mg/l >-12:0 am Toxic to bacteria Lc50-Acinetobacter-1,170 mg/l-4:0 pm

C(E)L50 (mg/l) = 1300

diethanolamine:

The substance is harmful to aquatic organisms.

Aquatic toxic

Specification: EC50 (2.2-IMINODIETANOLO; CAS No.: 111-42-2)

Parametro: Daphnia

Daphnia magna

Value = 55 mg/l

For. test: 48 h

Specification: EC50 (2.2-IMINODIETANOLO; CAS No.: 111-42-2)

Parametro: Algae

Pseudokirchneriella subcapitata

Value = 2.2 mg/l

For. test: 96 h

Specification: LC50 (2.2-IMINODIETANOLO; CAS No.: 111-42-2)

Parametro: Fish  
Pimephales promelas  
Value = 1460 mg/l  
For. test: 96 h  
C(E)L50 (mg/l) = 2,2

C(E)L50 (mg/l) = 10

Use according to good working practices to avoid pollution into the environment.

### **12.2. Persistence and degradability**

Related to contained substances:

2-(2-butoxyethoxy)ethanol:

The substance miscible in water and would leach into the groundwater, be lost in groundwater and be biologically degraded.

85% (28 d, Ready Biodegradability: Modified MITI Test (s)) readily biodegradable

### **12.3. Bioaccumulative potential**

Related to contained substances:

2-(2-butoxyethoxy)ethanol:

The substance is not expected to bioaccumulate.

### **12.4. Mobility in soil**

Related to contained substances:

2-(2-butoxyethoxy)ethanol:

The high idrosolubilit and low octanol/water partition coefficient indicates that adsorption to suspended solids and sediments are not significant

### **12.5. Results of PBT and vPvB assessment**

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

### **12.6. Other adverse effects**

No adverse effects

## **SECTION 13. Disposal considerations**

### **13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

## **SECTION 14. Transport information**

**14.1. UN number**

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

**14.2. UN proper shipping name**

None

**14.3. Transport hazard class(es)**

None

**14.4. Packing group**

None

**14.5. Environmental hazards**

None

**14.6. Special precautions for user**

No data available.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

It is not intended to carry bulk

**SECTION 15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Related to contained substances:

2-(2-butoxyethoxy)ethanol:

Restrictions relating to the product or to substances contained in annex XVII to Regulation (EC) 1907/2006.

3 product section.

Substances.

Point. 55 BUTYL DIGLYCOL

**15.2. Chemical safety assessment**

The supplier has made an assessment of chemical safety

**SECTION 16. Other information**

**16.1. Other information**

Description of the hazard statements exposed to point 3

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

H302 = Harmful if swallowed.

H317 = May cause an allergic skin reaction.

H318 = Causes serious eye damage.

H373 = May cause damage to organs through prolonged or repeated exposure .

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

\*\* The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.

---