

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product code : Hygienfresh Colorblok - Cattura Colore liquido

Trades code : A48-611

Product line: Hygienfresh

UFI: 7YG2-H0M2-U00Y-9DQG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Color fixative and anti-redeposition agent

Sectors of use:

Industrial Manufacturing[SU3], Private households (= general public = consumers)[SU21], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: info@tintolav.com - Sito internet: www.tintolav.com

Email tecnico competente: a.conedera@tintolav.com

National contact: Malta: Emergency Ambulance 112

Accident & Emergency Department 2545 4030

1.4. Emergency telephone number

The UK National Poisons Emergency number +44 (0)870 600 6266

London: Emergency 24 hour telephone +44 (0) 207188 0100

SECTION 2. Hazards identification**2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05, GHS07

Hazard Class and Category Code(s):

Acute Tox. 4, Eye Dam. 1

Hazard statement Code(s):

H302 - Harmful if swallowed.

H318 - Causes serious eye damage.

Harmful product: do not ingest

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS05, GHS07 - Danger



Hazard statement Code(s):
H302 - Harmful if swallowed.
H318 - Causes serious eye damage.

Supplemental Hazard statement Code(s):
EUH208 - Contains Methylchloroisothiazolinone. May produce an allergic reaction.

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Prevention

P264 - Wash your hand thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor/physician

Disposal

P501 - Dispose of contents / container in accordance with local and national regulations.

Contains:

Steareth-21, Alcohols, C13-15, branched and linear, ethoxylated

Contains (Reg.EC 648/2004):

>= 15% < 30% non-ionic surfactants, < 5% reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

Packaging to be fitted with a tactile warning

Content of VOC ready to use condition: 10,00 %

UFI: 7YG2-H0M2-U00Y-9DQG

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

| Substance | Concentration[w/w] | Classification | Index | CAS | EINECS | REACH |
|--|--------------------|---|--------------|-------------|-----------|-------|
| Alcohols, C13-15, branched and linear, ethoxylated | $\geq 15 < 25\%$ | Acute Tox. 4, H302; Eye Dam. 1, H318; Aquatic Chronic 3, H412 Limits: Eye Irrit. 2, H319 $3 \leq \%C < 10$; Eye Dam. 1, H318 $\%C > 10$; 1 1 ATE oral $> 300,000$ mg/kg | ND | 157627-86-6 | ND | ND |
| Propan-2-ol - FEMA 2929 | $\geq 5 < 15\%$ | Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336 ATE oral = $2.100,000$ mg/kg ATE dermal = $2.100,000$ mg/kg ATE inhal = $29,000$ mg/l/4 h | 603-117-00-0 | 67-63-0 | 200-661-7 | ND |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Note: B | $< 0,1\%$ | EUH071; Acute Tox. 3, H301; Acute Tox. 2, H310; Skin Corr. 1C, H314; Skin Sens. 1A, H317; Eye Dam. 1, H318; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Limits: Skin Corr. 1C, H314 $\%C \geq 0,6$; Skin Irrit. 2, H315 $0,06 \leq \%C < 0,6$; Eye Dam. 1, H318 $\%C \geq 0,6$; Eye Irrit. 2, H319 $0,06 \leq \%C < 0,6$; Skin Sens. 1A, H317 $\%C \geq 0,0015$; 100 100 | 613-167-00-5 | 55965-84-9 | ND | ND |

SECTION 4. First aid measures

4.1. Description of first aid measures**Inhalation:**

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

In case of contact with skin, wash immediately with soap and water

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

The product is harmful and can cause irreversible damages even following a single exposure if swallowed. Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

Immediately call a POISON CENTER/doctor/physician

SECTION 5. Firefighting measures**5.1. Extinguishing media****Advised extinguishing agents:**

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****6.1.1 For non-emergency personnel:**

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Wear mask, gloves and protective clothing. appropriate: latex or Nitrile

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up**6.3.1 For containment:**

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors

Wear protective gloves/protective clothing/eye protection/face protection.

At work do not eat or drink.

Do not eat, drink or smoke when using this product.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources.

Private households (= general public = consumers):

Handle with care.

Store in ventilated place away from heat sources,

Keep the container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Related to contained substances:

Propan-2-ol:

TLV: TWA 200 ppm 400 ppm as STEL A4 (not classifiable as a human carcinogen); (ACGIH 2004).

MAK: 200 ppm 500 mg/m peak limitation Category: II (2); Risk group for pregnancy: C; (DFG 2004).

- Substance: Propan-2-ol

DNEL

Systemic effects Long term Workers inhalation = 500 (mg/m³)

Systemic effects Long term Workers dermal = 888 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 89 (mg/m³)

Systemic effects Long term Consumers dermal = 26 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 26 (mg/kg bw/day)

PNEC

Sweet water = 140,9 (mg/l)

sediment Sweet water = 552 (mg/kg/sediment)

Sea water = 140,9 (mg/l)

sediment Sea water = 552 (mg/kg/sediment)

STP = 2251 (mg/l)

ground = 28 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen

Private households (= general public = consumers):

No specific checks planned

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

Handle with gloves. Gloves should be inspected before use. Use a suitable glove removal technique (without touching the outer surface of the glove) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with the applicable legislation and good laboratory practice. Wash and dry hands.

The protective gloves selected must satisfy the requirements of EU Directive 89/686/EEC and the EN 374 standards derived from it.

Full contact

Material: Nitrile rubber

minimum thickness: 0.11 mm

penetration time: 480 min

The choice of an appropriate glove does not only depend on the material but also on other quality characteristics which

vary from one manufacturer to another.

For the choice of the type of gloves to be used, consult the supplier\glove manufacturer.

Observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical and chemical properties | Value | Determination method |
|--|---------------------------------|----------------------|
| Physical state | Liquid | |
| Colour | colorless | |
| Odour | Characteristic | |
| Odour threshold | not determined | |
| Melting point/freezing point | not determined | |
| Boiling point or initial boiling point and boiling range | > 65 °C | |
| Flammability | irrelevant | |
| Lower and upper explosion limit | not determined | |
| Flash point | nonflammable | ASTM D92 |
| Auto-ignition temperature | not determined | |
| Decomposition temperature | not determined | |
| pH | 8-10 | |
| Kinematic viscosity | not determined | |
| Solubility | Completely soluble in water | |
| Water solubility | Completely soluble in water | |
| Partition coefficient n-octanol/water (log value) | not determined | |
| Vapour pressure | not determined | |
| Density and/or relative density | 1,000 - 1,100 g/cm ³ | |
| Relative vapour density | not determined | |
| Particle characteristics | not applicable | |

9.2. Other information

Content of VOC ready to use condition: 10,00 %

9.2.1 Information with regard to physical hazard classes

a) Explosives

i) sensitivity to shock

Irrilevant

ii) effect of heating under confinement

Irrilevant

iii) effect of ignition under confinement

Irrilevant

iv) sensitivity to impact

Irrilevant

v) sensitivity to friction

Irrilevant

vi) thermal stability

Irrilevant

vii) package

Irrilevant

b) Flammable gases

i) T_{ci} / explosion limits

Irrilevant

ii) fundamental burning velocity

Irrilevant

c) Aerosols

Irrilevant

d) Oxidising gases

Irrilevant

e) Gases under pressure

Irrilevant

f) Flammable liquids

Irrilevant

g) Flammable solids

i) burning rate, or burning time as regards metal powders

Irrilevant

ii) statement on whether the wetted zone has been passed

Irrilevant

h) Self-reactive substances and mixtures

i) decomposition temperature

Irrilevant

ii) detonation properties

Irrilevant

iii) deflagration properties

Irrilevant

iv) effect of heating under confinement

Irrilevant

v) explosive power, if applicable

Irrilevant

i) Pyrophoric liquids

Irrilevant

j) Pyrophoric solids

i) statement on whether spontaneous ignition occurs when poured or within five minutes thereafter, as regards solids in powder form

Irrilevant

ii) statement on whether pyrophoric properties could change over time

Irrilevant

k) Self-heating substances and mixtures

i) statement on whether spontaneous ignition occurs and the maximum temperature rise obtained

Irrilevant

ii) results of screening tests referred to in section 2.11.4.2 of Annex I to Regulation (EC) No 1272/2008, if relevant and available

Irrilevant

l) Substances and mixtures, which emit flammable gases in contact with water. The following information may be provided

i) identity of the emitted gas, if known

Irrilevant

ii) statement on whether the emitted gas ignites spontaneously

Irrilevant

iii) gas evolution rate

Irrilevant

m) Oxidising liquids

Irrilevant

n) Oxidizing solids

Irrilevant

o) Organic peroxides

i) decomposition temperature

Irrilevant

ii) detonation properties

Irrilevant

iii) deflagration properties

Irrilevant

iv) effect of heating under confinement
Irrilevant

v) explosive power
Irrilevant

p) Corrosive to metals

i) metals that are corroded by the substance or mixture
Irrilevant

ii) corrosion rate and statement on whether it refers to steel or aluminium
Irrilevant

iii) reference to other sections of the safety data sheet with regard to compatible or incompatible materials
Irrilevant

q) Desensitised explosives

i) desensitising agent used
Irrilevant

ii) exothermic decomposition energy
Irrilevant

iii) corrected burning rate (Ac)
Irrilevant

iv) explosive properties of the desensitised explosive in that state
Irrilevant

9.2.2 Other safety characteristics

a) mechanical sensitivity
Irrilevant

b) self-accelerating polymerisation temperature
Irrilevant

c) formation of explosible dust/air mixtures
Irrilevant

d) acid/alkaline reserve
Irrilevant

e) evaporation rate
Irrilevant

f) miscibility
Irrilevant

g) conductivity
Irrilevant

h) corrosiveness

Irrilevant

i) gas group

Irrilevant

j) redox potential

Irrilevant

k) radical formation potential

Irrilevant

l) photocatalytic properties

Irrilevant

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.

It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 1.515,2 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: Harmful product: do not ingest

(b) skin corrosion/irritation: Propan-2-ol: Skin-rabbit

Result: Mild skin irritation

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

Propan-2-ol: Eyes-rabbit

Result: Eye irritation- 24 h

(d) respiratory or skin sensitisation: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

Alcohols, C13-15, branched and linear, ethoxylated:

LD50 (rat) Oral (mg/kg body weight) > 300

Propan-2-ol:

ROUTES of EXPOSURE: the substance can be absorbed into the body by inhalation of its fumes.

INHALATION RISK: A harmful contamination of the air will be reached quite slowly due to evaporation of the substance at 20 °C; However, for spraying or scattering, much more quickly.

Effects of short-term exposure: the substance is irritating to the eyes and the respiratory tract the substance may cause effects on the central nervous system, causing depression. Much greater exposure to the OEL may lead to unconsciousness.

Effects of REPEATED EXPOSURE or long term: the liquid degreasing the skin features.

ACUTE HAZARDS/Symptoms INHALATION Cough. Vertigo. Drowsiness. Headaches. Sore throat. See If Swallowed. CUTE CUTE.

EYE Redness.

INGESTION abdominal pain. Difficulty in breathing. Nausea. State of unconsciousness. Vomiting. (Further see inhalation).

NOT and use of alcoholic beverages enhances the harmful effect.

LD50 (rat) Oral (mg/kg body weight) = 2100

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2100

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 29

11.2. Information on other hazards

No data available.

11.2.1. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

Alcohols, C13-15, branched and linear, ethoxylated:

C(E)L50 (mg/l) = 1

Propan-2-ol:

Toxicity to fish LC50-Pimephales promelas (fathead minnow)-9, 640.00 mg/l-96 h

Toxicity to daphnia and other aquatic invertebrates

-EC50 Daphnia magna (Water flea)-5, 102.00 mg/l- 24 h
EC50 Immobilization-Daphnia magna (Water flea)-6.851 mg/l- 24h
C(E)L50 (mg/l) = 5102 1
1

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute toxicity to fish

The material is very toxic to aquatic organisms (LC50 / EC50 / IC50 below 1 mg / l for the most sensitive species).
LC50, Oncorhynchus mykiss (rainbow trout), flow-through test, 96 Hour, 0.19 mg / l, OECD Test Guideline 203 or equivalent

Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), Flow-through test, 48 h, 0.16 mg / l, OECD Test Guideline 202 or equivalent

Acute toxicity to algae / aquatic plants

EC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, 0.027 mg / l, OECD Test Guideline 201 or equivalent

NOEC, Skeletonema costatum, Static test, 72 h, Growth rate, 0.0014 mg / l

Chronic toxicity to fish

NOEC, Rainbow trout (Oncorhynchus mykiss), flow, 14 d, 0.05 mg / l

Chronic toxicity to aquatic invertebrates

NOEC, Daphnia magna, Flow-through test, 21 d, 0.1 mg / l

100

NOEC (mg/l) = 0,05 100

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1):

Biodegradation (aquatic metabolism): 5-chloro-2-methyl-4-isothiazolin-3-one (CMIT):

t $\frac{1}{2}$ anaerobic = 0.2 days. t $\frac{1}{2}$ aerobic = 0.38 - 1.3 days. 2-methyl-4-isothiazolin-3-

one (MIT): aerobic t $\frac{1}{2}$ = 0.38 - 1.4 days

Biodegradability: Considered to be rapidly degradable. The product is not readily biodegradable according to OECD / EC criteria.

Biodegradation: <50%

Exposure time: 10 d

Photodegradation

Atmospheric half-life: 0.38 - 1.3 d

12.3 Bioaccumulative potential

Partition coefficient: n-octanol / water (log Pow): 0.401 Method not specified.

12.3. Bioaccumulative potential

Related to contained substances:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1):

Low potential for bioconcentration (FBC or Log Pow < 100 < 3).

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number or ID number

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EU) No 1357/2014 - waste:
HP4 - Irritant — skin irritation and eye damage

Substances in the Candidate List (REACH Article 59)
Based on available data, no SVHC substances are present

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 1.1. Product identifier, 1.2. Relevant identified uses of the substance or mixture and uses advised against, 2.1. Classification of the substance or mixture, 2.2. Label elements, 2.3. Other hazards, 3.2 Mixtures, 4.1. Description of first aid measures, 7.1. Precautions for safe handling, 7.3. Specific end use(s), 8.1. Control parameters, 8.2. Exposure controls, 9.2. Other information, 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008, 12.1. Toxicity, 12.2. Persistence and degradability, 12.3. Bioaccumulative potential, 12.5. Results of PBT and vPvB assessment, 12.6. Endocrine disrupting properties, 13.1. Waste treatment methods, 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.
H318 = Causes serious eye damage.
H412 = Harmful to aquatic life with long lasting effects.
H225 = Highly flammable liquid and vapour.
H319 = Causes serious eye irritation.
H336 = May cause drowsiness or dizziness.
H301 = Toxic if swallowed.
H310 = Fatal in contact with skin.
H314 = Causes severe skin burns and eye damage.
H317 = May cause an allergic skin reaction.
H330 = Fatal if inhaled.
H400 = Very toxic to aquatic life.
H410 = Very toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H302 - Harmful if swallowed. Classification procedure: Calculation method
H318 - Causes serious eye damage. Classification procedure: Calculation method

Main normative references:

Directive 1999/45/EC
Directive 2001/60/EC
Regulation 1272/2008/EC
Regulation 2010/453/EC

** The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.
