

## **SECTION 1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Product code : Hypnosense Laundry Essense Floral  
Trades code : AH80-010  
Product line: Hypnosense

UFI: VHN2-C064-3006-CGKW

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Hyper-concentrated essence for washing machine laundry with heat resistant fragrance

Sectors of use:

Industrial Manufacturing[SU3], Private households (= general public = consumers)[SU21], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Do not use for purposes other than those listed

### **1.3. Details of the supplier of the safety data sheet**

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: [info@tintolav.com](mailto:info@tintolav.com) - Sito internet: [www.tintolav.com](http://www.tintolav.com)

Email tecnico competente: [a.conedera@tintolav.com](mailto:a.conedera@tintolav.com)

National contact: Malta: Emergency Ambulance 112  
Accident & Emergency Department 2545 4030

### **1.4. Emergency telephone number**

The UK National Poisons Emergency number +44 (0)870 600 6266  
London: Emergency 24 hour telephone +44 (0) 207188 0100

## **SECTION 2. Hazards identification**

### **2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07, GHS09

Hazard Class and Category Code(s):

Skin Irrit. 2, Skin Sens. 1B, Eye Irrit. 2, Aquatic Chronic 2

Hazard statement Code(s):

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema

The product, if brought into contact with skin can cause skin sensitization.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects


2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

**2.2. Label elements**

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):  
GHS07, GHS09 - Warning



Hazard statement Code(s):  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):  
not applicable

Precautionary statements:

General

- P101 - If medical advice is needed, have product container or label at hand.
- P102 - Keep out of reach of children.

Prevention

- P273 - Avoid release to the environment.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

- P302+P352 - IF ON SKIN: Wash thoroughly with soap and water.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.

Disposal

- P501 - Dispose of contents / container in accordance with local and national regulations.

Contains:

aqua, parfum, dihydrogenated tallow hydroxyethylmonium methosulfate, 4-tert-butylcyclohexyl acetate, tetramethyl acetyloctahydronaphthalenes, linalool, hexyl cinnamal, C12-15 Alketh-3, , ethoxydiglycol, ricinus communis oil, citronellol, geraniol, amyl salicylate, coumarin, eugenol, pogostemon cablin, eugenia caryophyllus oil, rose ketones, menthol, acetyl cedrene, isopropyl alcohol, benzalkonium chloride, dimethicone, steareth-21, alcohol, acid red 52, acid blu 9, amines, C12-16-alkyldimethyl.

Contains (Reg. EC 648/2004):

> 30% < 15% Fragrances, < 5% Cationic surfactants, non-ionic surfactants, tetramethyl acetyloctahydronaphthalenes, linalool, hexyl cinnamal, citronellol, geraniol, amyl salicylate, coumarin, eugenol, pogostemon cablin, eugenia caryophyllus oil, rose ketones, menthol, acetyl cedrene.

Content of VOC ready to use condition: 4,60 %

UFI: VHN2-C064-3006-CGKW

**2.3. Other hazards**

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

No information on other hazards

### SECTION 3. Composition/information on ingredients

#### 3.1 Substances

Irrilevant

#### 3.2 Mixtures

| Substance  | Concentration[ w/w] | Classification  | Index        | CAS          | EINECS    | REACH                         |
|--|---------------------|---|--------------|--------------|-----------|-------------------------------|
| Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized | >= 1 < 5%           | ATE oral = 5.000,000 mg/kg<br>ATE dermal = 2.000,000 mg/kg  | ND           | 1335202-88-4 | 931-203-0 | 01-2119463<br>889-16-000<br>4 |
| 4-tert-Butylcyclohexyl acetate - FEMA 0  | >= 1 < 5%           | Skin Sens. 1B, H317;<br>Aquatic Chronic 2, H411<br>1 1<br>ATE oral = 5.000,000 mg/kg<br>ATE dermal = 5.000,000 mg/kg  | ND           | 32210-23-4   | 250-954-9 | 01-2119976<br>286-24          |
| 2-phenylethanol - FEMA 2858  | >= 1 < 5%           | Acute Tox. 4, H302;<br>Eye Irrit. 2, H319<br>ATE oral = 1.610,000 mg/kg<br>ATE dermal = 806,000 mg/kg   | ND           | 60-12-8      | 200-456-2 | 01-2119963<br>921-31          |
| 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone - FEMA 0                                      | >= 1 < 5%           | Skin Irrit. 2, H315;<br>Skin Sens. 1, H317;<br>Aquatic Acute 1, H400;<br>Aquatic Chronic 1, H410<br>1 1<br>ATE oral = 5.000,000 mg/kg<br>ATE dermal = 5.000,000 mg/kg | ND           | 54464-57-2   | 259-174-3 | 01-2119489<br>989-04          |
| α-Hexylcinnamaldehyde  | >= 1 < 5%           | Skin Sens. 1, H317;<br>Aquatic Acute 1, H400;<br>Aquatic Chronic 2, H411<br>ATE oral = 2.450,000 mg/kg  | ND           | 101-86-0     | 202-983-3 | 01-2119533<br>092-50          |
| Linalool   | >= 1 < 5%           | Skin Irrit. 2, H315;<br>Skin Sens. 1B, H317;<br>Eye Irrit. 2, H319<br>ATE oral = 2.790,000  | 603-235-00-2 | 78-70-6      | 201-134-4 | 01-2119474<br>016-42-000<br>0 |

| Substance  | Concentration[ w/w] | Classification  | Index        | CAS        | EINECS    | REACH                         |
|--|---------------------|---|--------------|------------|-----------|-------------------------------|
|  |                     | mg/kg<br>ATE dermal =<br>5.610,000 mg/kg<br>ATE inhal = 307,000<br>mg/l/4 h   |              |            |           |                               |
| Reaction mass of 2-methylbutyl salicylate and pentyl salicylate          | >= 0,1 < 1%         | Acute Tox. 4, H302;<br>Aquatic Acute 1,<br>H400; Aquatic<br>Chronic 1, H410<br>1 1<br>ATE oral = 2.000,000<br>mg/kg   | ND           | ND         | 911-280-7 | 01-2119969<br>444-27-000<br>2 |
| Citronellol  | >= 0,1 < 1%         | Skin Irrit. 2, H315;<br>Skin Sens. 1B, H317;<br>Eye Irrit. 2, H319;<br>STOT SE 3, H335<br>ATE oral = 3.450,000<br>mg/kg<br>ATE dermal =<br>2.650,000 mg/kg<br>ATE inhal = 1,300<br>mg/l/4 h | ND           | 106-22-9   | 203-375-0 | 01-2119453<br>995-23-000<br>0 |
| Geraniol - FEMA 2507   | >= 0,1 < 1%         | Skin Irrit. 2, H315;<br>Skin Sens. 1, H317;<br>Eye Dam. 1, H318<br>ATE oral = 3.500,000<br>mg/kg<br>ATE dermal =<br>5.000,000 mg/kg<br>ATE inhal = 0,500<br>mg/l/4 h                        | 603-241-00-5 | 106-24-1   | 203-377-1 | 01-2119552<br>430-49-000<br>0 |
| 3,7-dimethyloctan-3-ol - FEMA 3060                                       | >= 0,1 < 1%         | Skin Irrit. 2, H315;<br>Skin Sens. 1B, H317;<br>Eye Irrit. 2, H319<br>ATE oral = 5.000,000<br>mg/kg<br>ATE dermal =<br>4.500,000 mg/kg<br>ATE inhal = 0,885<br>mg/l/4 h                     | ND           | 78-69-3    | 201-133-9 | 01-2119638<br>275-36          |
| 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | >= 0,1 < 1%         | Skin Corr. 2, H315;<br>Skin Sens. 1, H317;<br>Aquatic Chronic 2,<br>H411<br>1 1   | ND           | 68155-67-9 | 268-979-9 | 01-2119489<br>989-04-000<br>0 |
| 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | >= 0,1 < 1%         | Skin Irrit. 2, H315;<br>Skin Sens. 1, H317;<br>Aquatic Chronic 1,<br>H410<br>1 1<br>ATE oral = 5.000,000<br>mg/kg<br>ATE dermal =<br>5.000,000 mg/kg  | ND           | 68155-66-8 | 268-978-3 | 01-2119489<br>989-04-000<br>0 |
| Coumarin   | >= 0,1 < 1%         | Acute Tox. 3, H301;<br>Skin Sens. 1, H317;<br>STOT RE 2, H373<br>ATE oral = 290,000<br>mg/kg  | ND           | 91-64-5    | 202-086-7 | 01-2119943<br>756-26-000<br>0 |

| Substance  | Concentration[ w/w] | Classification  | Index        | CAS        | EINECS    | REACH                         |
|--|---------------------|---|--------------|------------|-----------|-------------------------------|
|  |                     | ATE dermal = 242,000 mg/kg  |              |            |           |                               |
| Nopyl acetate - FEMA 0   | >= 0,1 < 1%         | Skin Sens. 1B, H317;<br>Eye Irrit. 2, H319;<br>Aquatic Chronic 2, H411<br>1 1<br>ATE oral = 3.000,000 mg/kg<br>ATE dermal = 2.000,000 mg/kg   | ND           | 128-51-8   | 204-891-9 | 01-2119982<br>322-38-000<br>0 |
| 4-Methyl-3-decen-5-ol - FEMA 0   | >= 0,1 < 1%         | Aquatic Acute 1, H400; Aquatic Chronic 2, H411<br>1 1<br>ATE oral = 5.000,000 mg/kg   | ND           | 81782-77-6 | 279-815-0 | 01-2119983<br>528-21          |
| Eugenol  | >= 0,1 < 1%         | Skin Sens. 1B, H317;<br>Eye Irrit. 2, H319<br>ATE oral = 2.000,000 mg/kg  | ND           | 97-53-0    | 202-589-1 | 01-2119971<br>802-33-000<br>0 |
| 10-Undecenal - FEMA 3095   | >= 0,1 < 1%         | Skin Irrit. 2, H315;<br>Skin Sens. 1B, H317;<br>Eye Irrit. 2, H319;<br>Aquatic Chronic 3, H412<br>1 1<br>ATE oral = 5.000,000 mg/kg<br>ATE dermal = 4.800,000 mg/kg   | ND           | 112-45-8   | 203-973-1 | 01-2119980<br>959-11          |
| Dodecanal - FEMA 2615  | >= 0,1 < 1%         | Skin Irrit. 2, H315;<br>Skin Sens. 1B, H317;<br>Eye Irrit. 2, H319<br>ATE oral = 5.000,000 mg/kg  | ND           | 112-54-9   | 203-983-6 | 01-2119969<br>441-33          |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides - FEMA 0 | >= 0,1 < 1%         | Acute Tox. 4, H302;<br>Acute Tox. 4, H312;<br>Skin Corr. 1B, H314;<br>Eye Dam. 1, H318;<br>Aquatic Acute 1, H400; Aquatic Chronic 1, H410<br>1 10<br>ATE oral = 344,000 mg/kg<br>ATE dermal = 3.340,000 mg/kg<br>ATE inhal = 5,000 mg/l/4 h | ND           | 68424-85-1 | 270-325-2 | ND                            |
| 2,4-dimethylcyclohex-3-ene-1-carbaldehyde - FEMA 0                             | >= 0,1 < 1%         | Skin Irrit. 2, H315;<br>Skin Sens. 1, H317;<br>Eye Irrit. 2, H319;<br>Aquatic Chronic 3, H412<br>1 1<br>ATE oral = 4.000,000 mg/kg<br>ATE dermal =  | 605-043-00-4 | 68039-49-6 | 268-264-1 | ND                            |

| Substance                    | Concentration[ w/w] | Classification   | Index        | CAS       | EINECS    | REACH                |
|------------------------------|---------------------|--|--------------|-----------|-----------|----------------------|
|                              |                     | 5.000,000 mg/kg  |              |           |           |                      |
| ethanol                      | < 0,1%              | Flam. Liq. 2, H225;<br>Eye Irrit. 2, H319<br>Limits: Eye Irrit. 2,<br>H319 %C >=50;<br>ATE oral = 7.060,000<br>mg/kg<br>ATE dermal =<br>20.000,000 mg/kg<br>ATE inhal = 116,900<br>mg/l/4 h  | 603-002-00-5 | 64-17-5   | 200-578-6 | 01-2119457<br>610-43 |
| 1,2-benzisothiazol-3(2H)-one | < 0,1%              | Acute Tox. 4, H302;<br>Skin Irrit. 2, H315;<br>Skin Sens. 1, H317;<br>Eye Dam. 1, H318;<br>Acute Tox. 2, H330;<br>Aquatic Acute 1,<br>H400; Aquatic<br>Chronic 1, H410<br>Limits: Skin Sens. 1A,<br>H317 %C >=0,036; ,<br>EUH208 0,005<= %C<br><0,05;<br>1 1<br>ATE oral = 450,000<br>mg/kg<br>ATE inhal = 0,210<br>mg/l/4 h | 613-088-00-6 | 2634-33-5 | 220-120-9 | ND                   |

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

#### Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.  
Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.  
In case of contact with skin, wash immediately with soap and water

#### Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately  
Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

#### Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

---

#### **4.3. Indication of any immediate medical attention and special treatment needed**

If skin irritation occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
If medical advice is needed, have product container or label at hand.

### **SECTION 5. Firefighting measures**

#### **5.1. Extinguishing media**

Advised extinguishing agents:

Water spray, CO<sub>2</sub>, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

#### **5.2. Special hazards arising from the substance or mixture**

No data available.

#### **5.3. Advice for firefighters**

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

### **SECTION 6. Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Wear mask, gloves and protective clothing.

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

#### **6.2. Environmental precautions**

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

#### **6.3. Methods and material for containment and cleaning up**

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

---

6.3.3 Other information:  
None in particular.

#### **6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

## **SECTION 7. Handling and storage**

### **7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors  
Wear protective gloves/protective clothing/eye protection/face protection.  
At work do not eat or drink.  
Contaminated work clothing should not be allowed out of the workplace.  
See also paragraph 8 below.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabeled containers.  
Keep containers upright and safe by avoiding the possibility of falls or collisions.  
Store in a cool place, away from sources of heat and direct exposure of sunlight.

### **7.3. Specific end use(s)**

Industrial Manufacturing:  
Handle with extreme caution.  
Store in a well ventilated place away from heat sources.

Private households (= general public = consumers):  
Handle with care.  
Store in ventilated place away from heat sources,  
Keep the container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):  
Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

## **SECTION 8. Exposure controls/personal protection**

### **8.1. Control parameters**

Related to contained substances:

ethanol:

Component CAS-No. Value Control parameters

Basis

Ethanol-17-64 TWA 5 ppm 1.000

1.920 mg/m<sup>3</sup>

UK. EH40 WEL-Workplace Exposure Limits

Remarks Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used

- Substance: Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

DNEL

Systemic effects Long term Workers inhalation = 44 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 312,5 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 13 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 187,5 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 7,5 (mg/kg bw/day)

PNEC

Sweet water = 0,00191 (mg/l)  
sediment Sweet water = 0,58 (mg/kg/sediment)  
Sea water = 0,000191 (mg/l)  
sediment Sea water = 0,058 (mg/kg/sediment)  
STP = 2,96 (mg/l)  
ground = 0,115 (mg/kg ground)

- Substance: 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone

DNEL

Systemic effects Long term Workers inhalation = 1,76 (mg/m<sup>3</sup>)  
Systemic effects Long term Workers dermal = 1,73 (mg/kg bw/day)  
Systemic effects Short term Workers inhalation = 1,76 (mg/m<sup>3</sup>)  
Systemic effects Short term Workers dermal = 1,73 (mg/kg bw/day)

PNEC

Sweet water = 0,0028 (mg/l)  
sediment Sweet water = 3,73 (mg/kg/sediment)  
Sea water = 0,00028 (mg/l)  
sediment Sea water = 0,75 (mg/kg/sediment)  
ground = 0,705 (mg/kg ground)

- Substance:  $\alpha$ -Hexylcinnamaldehyde

DNEL

Systemic effects Long term Workers inhalation = 0,000078 (mg/m<sup>3</sup>)  
Systemic effects Short term Workers inhalation = 0,00628 (mg/m<sup>3</sup>)

PNEC

Sweet water = 0,03 (mg/l)  
sediment Sweet water = 47,7 (mg/kg/sediment)  
Sea water = 0,003 (mg/l)  
sediment Sea water = 4,77 (mg/kg/sediment)  
ground = 9,51 (mg/kg ground)

- Substance: Linalool

DNEL

Systemic effects Long term Workers inhalation = 2,8 (mg/m<sup>3</sup>)  
Systemic effects Long term Workers dermal = 2,5 (mg/kg bw/day)  
Systemic effects Long term Consumers inhalation = 0,7 (mg/m<sup>3</sup>)  
Systemic effects Long term Consumers dermal = 1,25 (mg/kg bw/day)  
Systemic effects Long term Consumers oral = 0,2 (mg/kg bw/day)

- Substance: Citronellol

DNEL

Systemic effects Long term Workers inhalation = 161,6 (mg/m<sup>3</sup>)

- Substance: Geraniol

DNEL

Systemic effects Long term Workers inhalation = 161,6 (mg/m<sup>3</sup>)

- Substance: 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

DNEL

Systemic effects Short term Workers dermal = 1,73 (mg/kg bw/day)  
Systemic effects Short term Consumers oral = 1,76 (mg/kg bw/day)  
Local effects Short term Workers dermal = 0,1011 (mg/kg bw/day)

PNEC

Sweet water = 0,0028 (mg/l)  
sediment Sweet water = 3,73 (mg/kg/sediment)

Sea water = 0,00028 (mg/l)  
sediment Sea water = 0,75 (mg/kg/sediment)  
ground = 0,705 (mg/kg ground)

- Substance: 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

DNEL

Systemic effects Short term Workers inhalation = 1,76 (mg/m<sup>3</sup>)

Systemic effects Short term Workers dermal = 1,73 (mg/kg bw/day)

PNEC

Sweet water = 0,0028 (mg/l)

sediment Sweet water = 3,73 (mg/kg/sediment)

Sea water = 0,00028 (mg/l)

sediment Sea water = 0,75 (mg/kg/sediment)

ground = 0,705 (mg/kg ground)

- Substance: Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

DNEL

Systemic effects Long term Workers inhalation = 3,96 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 5,7 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 1,64 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 3,4 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 3,4 (mg/kg bw/day)

PNEC

Sweet water = 0,0009 (mg/l)

sediment Sweet water = 12,27 (mg/kg/sediment)

Sea water = 0,00096 (mg/l)

sediment Sea water = 13,09 (mg/kg/sediment)

STP = 0,4 (mg/l)

ground = 7 (mg/kg ground)

- Substance: ethanol

DNEL

Systemic effects Long term Workers inhalation = 950 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 343 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 114 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 206 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 87 (mg/kg bw/day)

PNEC

Sweet water = 0,96 (mg/l)

sediment Sweet water = 3,6 (mg/kg/sediment)

Sea water = 0,79 (mg/l)

sediment Sea water = 2,9 (mg/kg/sediment)

STP = 580 (mg/l)

ground = 0,63 (mg/kg ground)

## 8.2. Exposure controls

Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen

Private households (= general public = consumers):



No specific checks planned

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

Handle with gloves. Gloves must be checked before use. Use a technique suitable for removing gloves (without touching the outer surface of the glove) to avoid the skin contact with this product. Dispose of contaminated gloves after use in accordance with current legislation and good laboratory practices. Wash and dry your hands.

The selected protective gloves have to satisfy the requirements of EU directive 89/686 / EEC and the resulting EN 374 standards.

Full contact

Material: Nitrile rubber

minimum thickness: 0.11 mm

breakthrough time: 480 min

The choice of an appropriate glove depends not only on the material but also on other quality characteristics which vary from one manufacturer to another.

For the choice of the type of gloves to use, consult the supplier / manufacturer of the gloves.

Observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Physical and chemical properties                         | Value          | Determination method |
|--|----------------|----------------------|
| Physical state   | Liquid         |                      |
| Colour   | white          |                      |
| Odour  | Characteristic |                      |
| Odour threshold  | not determined |                      |
| Melting point/freezing point                             | not determined |                      |
| Boiling point or initial boiling point and boiling range | irrelevant     |                      |
| Flammability   | not determined |                      |

| Physical and chemical properties                  | Value                       | Determination method |
|---|-----------------------------|----------------------|
| Lower and upper explosion limit                   | not determined              |                      |
| Flash point                                       | > 65 °C                     | ASTM D92             |
| Auto-ignition temperature                         | not determined              |                      |
| Decomposition temperature                         | not determined              |                      |
| pH  | 6,5 @ 1%                    |                      |
| Kinematic viscosity                               | not determined              |                      |
| Solubility  | Completely soluble in water |                      |
| Water solubility                                  | Completely soluble in water |                      |
| Partition coefficient n-octanol/water (log value) | not determined              |                      |
| Vapour pressure                                   | not determined              |                      |
| Density and/or relative density                   | 0,950 - 1,050 g/cm3         |                      |
| Relative vapour density                           | not determined              |                      |
| Particle characteristics                          | irrelevant                  |                      |

### 9.2. Other information

Content of VOC ready to use condition: 4,60 %

#### 9.2.1 Information with regard to physical hazard classes

Irrilevant

#### 9.2.2 Other safety characteristics

Irrilevant

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

Nothing to report

### 10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing

agents.

It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

#### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

### SECTION 11. Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 7.279,0 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: 4-tert-Butylcyclohexyl acetate: Rats (10 per dose, sex and strain not reported) were administered 4-tert-butylcyclohexyl acetate by gavage at 5000 mg/kg-bw. No information on mortality was reported  
Rabbits (4, sex and strain not reported) were administered 4-tert-butylcyclohexyl acetate dermally at 5000 mg/kg-bw. One rabbit died.

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone: TOXIC DOSE 1-LD > 50 5000 mg/kg (oral rat)

TOXIC DOSE 2-LD > 50 5000 mg/kg (skn-rbt)

α-Hexylcinnamaldehyde: Oral (rat) LD50: 2450 mg/kg

Citronellol: orl-rat LD50:3450 mg/kg

skn-rbt LD50:2650 mg/kg

ihl-rat LCLo:1.3 mg/m<sup>3</sup>/4H

Geraniol: LD50 Oral (rat) (mg / kg body weight) = 3500

LD50 Dermal (rabbit) (mg / kg body weight) => 5000

LC50 Inhalation (rat) of vapor / dust / aerosol / smoke (mg / l / 4h): 0.5

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: LD 50 ORAL (mg/kg) : >4000

ORGANISM : RAT

LD 50 DERMAL (mg/kg) : >5000

ORGANISM : RABBIT

ethanol: LD50 Oral-rat-7.060 mg/kg

Remarks: Lungs, Thorax, or Respiration: Other changes.

LC50 Inhalation-rat-10:0-20000 ppm

(b) skincorrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

4-tert-Butylcyclohexyl acetate: Rabbits (species, sex and number not specified) were administered 4-tert-butylcyclohexyl acetate dermally to the ears and backs. Observations of the backs included slight erythema after 1 and 5 min, severe erythema and slight edema at 15 min, and severe erythema and edema at 20 hours. On day 8, slight redness and severe scaling were observed. Observations of the ears included severe erythema and edema with blistering after 20 hours. Severe necrosis was recorded on day 8. (Bhatia, S.P., et al., Food and Chemical Toxicology 46 (2008) S36-S41) 4-tert-Butylcyclohexyl acetate was irritating to rabbit skin

Citronellol: skn-rbt 100 mg/24H SEV

Skin - Human - Skin irritation - 48 h

Geraniol: skn-rbt 100 mg/24H SEV

skn-gpg 100 mg/24H SEV

skn-man 16 mg/24H SEV

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: rabbit Result: Method: DOT Corrosive

Exposure time: 12:0 am

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: TEST : ACUTE DERMAL IRRITATION

ORGANISM : RABBIT

ethanol: Skin-rabbit

Result: Irritating to skin. -12:0 am

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

Geraniol: Eyes-rabbit

Result: Risk of serious damage to eyes. -12:00 am  
(Directive 67/548/EEC, Annex V, b. 5.)

ethanol: Eyes-rabbit

Result: Mild eye irritation-12:0 am  
(Draize Test)

4-tert-Butylcyclohexyl acetate: Albino rabbits (3/sex dose not specified) were instilled 0.1 mL aliquot of 0.625% solution (vehicle not reported) into the right eye of each rabbit with no further treatment while the left eye served as control. Scores were recorded according to the Draize scale. Slight to moderate irritation with conjunctival chemosis and discharge were observed in all three rabbits (mean score for redness and 1.9 for 1 chemosis). All eyes cleared by day 4. (Bhatia, S.P., et al., Food and Chemical Toxicology 46 (2008) S36-S41) 4-tert-Butylcyclohexyl acetate was irritating to rabbit eyes.

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: rabbit Result: Caustic Method: DOT (d) respiratoryorskinsensitisation: The product, if brought into contact with skin can cause skin sensitization.

Citronellol: mouse - May cause sensitization by skin contact.

Geraniol: Guinea pig

May cause sensitisation by skin contact.

Coumarin: Test: Inhalation Seseitization Route: Inhalation Species: Rat = 293 mg/kg

Test: Inhalation Seseitization Route: Inhalation Species: Mouse = 196 mg/kg

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: Buehler guinea pig Test Classification: Did not cause sensitization on laboratory animals.

Result: not sensitizing Method: OECD Test Guideline 406

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: SENSITIZATION (ANIMAL): SENSITIZING

TEST : SKIN SENSITIZATION

ORGANISM : GUINEA PIG

SENSITIZATION (HUMAN) : NOT SENSITIZING

TEST : HRIPT

AT 10.00 (%) IN PETLM

(e) germ cell mutagenicity: 4-tert-Butylcyclohexyl acetate: Salmonella typhimurium strains TA98, TA100, TA1535, TA1537 and Ta 1538 were exposed to 4-tert-butylcyclohexyl acetate at 8 to 5000 g/plate in a bacterial reverse mutation assay in the presence and absence of metabolic activation. Positive and negative controls were used but their response was not provided. Cytotoxicity was observed at and above 200 g/plate.

4-tert-Butylcyclohexyl acetate was not mutagenic in this assay.

(f) carcinogenicity: Geraniol: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

(g) eproductivetoxicity: ethanol: Reproductive toxicity-Human-female-Oral

Effects on Newborn: Apgar score (human only). Effects on Newborn: Other measures or neonatal effects.

Effects on Newborn: Drug dependence.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure4-tert-Butylcyclohexyl acetate: In a modified developmental toxicity screening test (OCED TG 421), CrI: CD pregnant (SD) rats were administered 4-tert-butylcyclohexyl acetate (a mixture of 71% 28% trans and cis) in corn oil by gavage at 0, 40, 160 or 640 mg/kg-bw per day during gestation days 7 20. Rats were Caesarean-sectioned on day 21 of gestation and examined for number and distribution of corpora lutea, implantation sites and placenta. Live and dead fetuses and early and late resorptions were recorded. Fetuses were examined for sex ratio, gross external alterations and skeletal and soft tissue alterations. There were no effects on maternal body weights, weight gain, food consumption or organ weights. Pup viability, body weights, external observations and microscopic examination showed no significant alterations that could be related to the administration of the test substance.

NOAEL (maternal or developmental toxicity) = 640 mg/kg-bw/day (based on no effects at the highest dose tested)

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized:

Oral, LD50: 5000 mg / kg (rat)

Dermal, LD50:> 2000 mg / kg (rat)

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

4-tert-Butylcyclohexyl acetate:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

2-phenylethanol:

LD50 (rat) Oral (mg/kg body weight) = 1610

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 806

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

$\alpha$ -Hexylcinnamaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 2450

Linalool:

LD50 (rat) Oral (mg/kg body weight) = 2790

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5610

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 307

Reaction mass of 2-methylbutyl salicylate and pentyl salicylate:

LD50 (rat) Oral (mg/kg body weight) = 2000

Citronellol:

LD50 (rat) Oral (mg/kg body weight) = 3450

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2650

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 1,3

Geraniol:

LD50 (rat) Oral (mg/kg body weight) = 3500

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 0,5

3,7-dimethyloctan-3-ol:

LD50 oral, rat-> 5,000 mg/kg oral rat

Ld50-4,500 mg/kg Inhalation-rat

LCLO-male and female-8h-0.885 mg/l

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 4500

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 0,885

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Acute oral toxicity

LD50 rat

Dose: > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: IFF

Acute dermal toxicity

LD50 rat

Dose: > 5,000 mg/kg

Method: OECD Test Guideline 402

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

Coumarin:

Acute oral LD50 for rats: 293mg/kg

Acute oral LD50 for mice: 196mg/kg  
Irritant data: Not determined  
Inhalation data: Not determined  
Mutagenicity data: Not determined  
LD50 (rat) Oral (mg/kg body weight) = 290  
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 242

Nopyl acetate:  
LD50 (rat) Oral (mg/kg body weight) = 3000  
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

4-Methyl-3-decen-5-ol:  
LD50 (rat) Oral (mg/kg body weight) = 5000

Eugenol:  
LD50 (rat) Oral (mg/kg body weight) = 2000

10-Undecenal:  
LD50 (rat) Oral (mg/kg body weight) = 5000  
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 4800

Dodecanal:  
LD50 (rat) Oral (mg/kg body weight) = 5000

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:  
LD50 (rat) Oral (mg/kg body weight) = 344  
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 3340  
CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 5

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:  
LD50 (rat) Oral (mg/kg body weight) = 4000  
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

ethanol:  
ROUTES of EXPOSURE: the substance can be absorbed into the body by inhalation of its fumes and ingestion.  
INHALATION RISK: A harmful contamination of the air will be reached quite slowly due to evaporation of the substance at 20 C.  
Effects of short-term exposure: the substance is irritating to the eyes. Inhalation of high vapour can concetrazioni cause irritation of the eyes and respiratory tract. The substance may cause effects on the central nervous system effects of REPEATED EXPOSURE or long term: the liquid degreasing the skin features. The substance may have an effect on the high central nervous system respiratory tract, causing irritation, headaches, fatigue and lack of concentration. See Notes.

ACUTE HAZARDS/Symptoms INHALATION Cough. Headaches. Fatigue. Drowsiness.  
CUTE CUTE.  
EYE Redness. Pain. Burning.  
SWALLOWED burning sensation. Headaches. Confusion. Vertigo. State of unconsciousness.

N O T and consumption of ethanol during pregnancy can have adverse effects on the unborn child. Chronic ethanol ingestion can cause cirrhosis of the liver.  
LD50 (rat) Oral (mg/kg body weight) = 7060  
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 20000  
CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 116,9

1,2-benzisothiazol-3(2H)-one:  
LD50 (rat) Oral (mg/kg body weight) = 450  
CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 0,21

## 11.2. Information on other hazards

No data available.

### 11.2.1. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

## SECTION 12. Ecological information

### 12.1. Toxicity

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Related to contained substances:

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized:

fish, CL50 : 1,91 mg/l (OECD 203 (96h))

daphnia, CE50 : 2,23 mg/l (EU Method C.2 (48h))

alga, CI50 : 2,14 mg/l (OECD 201 (72h))

C(E)L50 (mg/l) = 1,91 1

1

4-tert-Butylcyclohexyl acetate:

Golden ide (*Leuciscus idus*) were exposed to 4-tert-butylcyclohexyl acetate at nominal concentrations of 0, 10, 13, 16 and 20 mg/L under static conditions for 48 hours. EF Marlowet was used as a solubilizer. Mortality was 0, 10, 100 and 80% at 10, 13, 16 and 20 mg/L.

48-h LC50 = 14 mg/L

Water fleas (*Daphnia magna*) were exposed to 4-tert-butylcyclohexyl acetate at nominal concentrations of 2.8 to 28.4 mg/L (measured concentrations, 2.4 to 28.4 mg/L) under static conditions for 48 hours.

48-h EC50 = 23.4 mg/L

C(E)L50 (mg/l) = 14 1

1

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

Endpoint: LC50 species: *lepomis macrochirus* (fish-salt Bluegrill) = 1.30 mg/l-h Duration: 96-Note:: method: OECD 203 TG

Endpoint: EC50-species: *Daphnia magna* (Water flea) = 1.38 mg/l-h Duration: 48-comments:: semi-static test method: OECD TG 202

Endpoint: EC50 *Desmodesmus subspicatus*-species (green algae) = 2.60 mg/l-h Duration: 72-

Note:: static test method: OECD TG201

C(E)L50 (mg/l) = 1,3 1

1

$\alpha$ -Hexylcinnamaldehyde:

Freshwater Fish Toxicity: acute LC50 >1-10 mg/L

Freshwater Invertebrates Toxicity: acute EC <1 mg/L

Algal Toxicity: acute EC <1 mg/L.

C(E)L50 (mg/l) = 0,99

Linalool:

Fish: 96h LC50:39 mg/L (*Oryzias latipes*)

Crustacea: 48h EC50:52 mg/L (*Daphnia magna*)

Algae: 72h EC50:28 mg/L (*Selenastrum capricornutum*)

C(E)L50 (mg/l) = 27,799999 1

1

Citronellol:

LC50 (96 h) 14,66 mg/l, *Leuciscus idus*  
EC50 (48 h) 17 mg/l, *Daphnia magna*  
EC50 (72 h) 2,4 mg/l, *Scenedesmus subspicatus*  
C(E)L50 (mg/l) = 2,4 1  
1

Geraniol:

static test LC50-zebrafish (zebra fish)-ca. 22 mg/l-96 h (OECD Test Guideline 203)  
Broadcast application EC50-*Daphnia magna* (Water flea)-10.8 mg/l-48 h (OECD Test Guideline 202)  
Growth inhibition EC50-*Desmodesmus subspicatus* (green algae)-13.1 mg/l-72 h  
C(E)L50 (mg/l) = 10,8 1  
1

3,7-dimethyloctan-3-ol:

Toxic to fish Lc50 semi-static test-*Danio rerio* (zebrafish)-8.9 mg/l-96 h  
method: OECD 203 semi-static test TG  
NOEC-*Danio rerio* (zebrafish)-5 mg/l-96 h  
method: OECD 203 Toxic TG to daphnia and other aquatic invertebrates – *Daphnia magna* Ec50 Immobilization (big water Flea)-14.2 mg/l-48 h method: OECD TG 202 Immobilization NOEC-*Daphnia magna* (water Flea grande)-8.2 mg/l-48 h Method: OECD TG 202 Toxic for algae growth Inhibition Ec50 *Desmodesmus subspicatus*-(green algae)-13.2 mg/l-72 h method: OECD 201 TG NOEC growth-inhibitor *Desmodesmus subspicatus* (green algae)-8.5 mg/l-72 h method: OECD 201 TG  
C(E)L50 (mg/l) = 8,9 1  
1

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Toxicity to fish:  
semi-static test LC50  
Species: *Lepomis macrochirus* (Bluegill sunfish)  
Dose: 1.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates.:

semi-static test EC50  
Species: *Daphnia magna* (Water flea)  
Dose: 1.38 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
IFF

C(E)L50 (mg/l) = 1,3 1  
NOEC (mg/l) = 100 1

Coumarin:

Toxicity to fish LC50 - *Poecilia reticulata* (guppy) - 56 mg/l - 96 h  
Toxicity to daphnia and other aquatic invertebrates LC50 - *Daphnia magna* (Water flea) - 3.5 mg/l - 48 h  
C(E)L50 (mg/l) = 13,5 1  
1

Eugenol:

---

Toxicity to fish Lc50-Danio rerio (zebrafish)-13 mg/l-96 h (OECD TEST GUIDELINE 203) Toxicity to daphnia and other aquatic invertebrates – Daphnia Ec50-1.13 mg/l-48 h

C(E)L50 (mg/l) = 1,13 1

1

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

C(E)L50 (mg/l) = 0,01

10

ethanol:

C(E)L50 (mg/l) = 11200

1,2-benzisothiazol-3(2H)-one:

C(E)L50 (mg/l) = 0,8

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

## 12.2. Persistence and degradability

Related to contained substances:

Linalool:

90 % (by BOD), 99 % (by TOC), 100 % (by GC)

Geraniol:

Aerobic chemical oxygen demand:

Exposure time 3 days

Result: 80 - 100% - Easily biodegradable.

(OECD Test Guideline 301A)

3,7-dimethyloctan-3-ol:

aerobic-28 d exposure time Result: 60-70%-Rapidly biodegradable.

Method: OECD TG 301

4-Methyl-3-decen-5-ol:

Biodegradability: Result: Readily biodegradable.

73%

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Biodegradability:

OECD Confirmatory > 90% Test Method: OECD 303 A Modified SCAS Test Exposure time: 99% 7 d > Method: OECD Test 302 Evolution CO2 Concentration: 5 mg/litre Exposure time: 28 d Result: Readily biodegradable.

95.5% Method: OECD 301 B

## 12.3. Bioaccumulative potential

Related to contained substances:

Linalool:

106

Coumarin:

Bioaccumulation *Leuciscus idus melanotus* - 3 d -46 µg/l

Bioconcentration factor (BCF): < 10

#### 12.4. Mobility in soil

Related to contained substances:

Linalool:

log Pow: 2.55

Soil adsorption (K<sub>oc</sub>): 75

Henry's Law constant(PaM<sup>3</sup>/mol): 2

Geraniol:

log Pow: 3.47

#### 12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

#### 12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

#### 12.7. Other adverse effects

No adverse effects

### SECTION 13. Disposal considerations

#### 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

### SECTION 14. Transport information

#### 14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 3082

ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 kg



#### 14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (acetato di 4-terz-butilcicloesile,  $\alpha$ -Hexylcinnamaldehyde, 1',2',3',4',5',6',7',8'-ottaidro-2',3',8',8'-tetrametil-2'-acetonaftone, Coumarin, 2-cicloesilidene-2-fenilacetoniitrile, 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphtyl)ethan-1-one, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 10-Undecenal, Dodecanal, Composti di ammonio quaternario, benzil-C12-16-alkildimetil, cloruri, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, etanolo, dipentene,)

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (4-tert-Butylcyclohexyl acetate,  $\alpha$ -Hexylcinnamaldehyde, 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, Coumarin, 2-cyclohexylidene-2-phenylacetoniitrile, 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphtyl)ethan-1-one, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 10-Undecenal, Dodecanal, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one,

ethanol, dipentene, 3-met)

ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (4-tert-Butylcyclohexyl acetate,  $\alpha$ -Hexylcinnamaldehyde, 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, Coumarin, 2-cyclohexylidene-2-phenylacetonitrile, 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 10-Undecenal, Dodecanal, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, ethanol, dipentene, 3-met)

#### 14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9  
ADR/RID/IMDG/ICAO-IATA: Label : Limited quantities  
ADR: Tunnel restriction code : --  
ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L  
IMDG - EmS : F-A, S-F

#### 14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

#### 14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous  
IMDG: Marine polluting agent : Yes

#### 14.6. Special precautions for user

No data available.

#### 14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

## SECTION 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category:  
E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:  
HP4 - Irritant — skin irritation and eye damage  
HP14 - Ecotoxic

Substances in the Candidate List (REACH Article 59)  
Based on available data, no SVHC substances are present

#### 15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

## SECTION 16. Other information

#### 16.1. Other information

Points modified compared to previous release: 2.1. Classification of the substance or mixture, 2.2. Label elements, 2.3. Other hazards, 3.2 Mixtures, 4.1. Description of first aid measures, 8.1. Control parameters, 9.2. Other information,

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008, 11.2. Information on other hazards, 12.1. Toxicity, 12.2. Persistence and degradability, 12.3. Bioaccumulative potential, 12.4. Mobility in soil, 12.5. Results of PBT and vPvB assessment, 12.6. Endocrine disrupting properties, 14.1. UN number or ID number, 14.2. UN proper shipping name, 14.3. Transport hazard class(es), 14.4. Packing group, 14.5. Environmental hazards, 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of the hazard statements exposed to point 3

- H317 = May cause an allergic skin reaction.
- H411 = Toxic to aquatic life with long lasting effects.
- H302 = Harmful if swallowed.
- H319 = Causes serious eye irritation.
- H315 = Causes skin irritation.
- H400 = Very toxic to aquatic life.
- H410 = Very toxic to aquatic life with long lasting effects.
- H335 = May cause respiratory irritation.
- H318 = Causes serious eye damage.
- H301 = Toxic if swallowed.
- H373 = May cause damage to organs through prolonged or repeated exposure .
- H412 = Harmful to aquatic life with long lasting effects.
- H312 = Harmful in contact with skin.
- H314 = Causes severe skin burns and eye damage.
- H225 = Highly flammable liquid and vapour.
- H330 = Fatal if inhaled.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

- H315 - Causes skin irritation. Classification procedure: Calculation method
- H317 - May cause an allergic skin reaction. Classification procedure: Calculation method
- H319 - Causes serious eye irritation. Classification procedure: Calculation method
- H411 - Toxic to aquatic life with long lasting effects. Classification procedure: Calculation method

Main normative references:

- Directive 1999/45/EC
- Directive 2001/60/EC
- Regulation 1272/2008/EC
- Regulation 2010/453/EC

\*\* The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.