

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product code : Acqua ossigenata 130 Volumi REACH N. 01-2119485845-22

Trades code : A30-000

Product line: Tintolav

Chemical Name: hydrogen peroxide solution 35 % CAS: 7722-84-1 - EC No: 231-765-0 - Index No: 008-003-00-9 - REACH: 01-2119485845-22

1.2. Relevant identified uses of the substance or mixture and uses advised against

Hydrogen peroxide 130 Vols-hydrogen peroxide

Sectors of use:

Industrial Manufacturing[SU3], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Tintolav s.r.l. - Via M. D'Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: info@tintolav.com - Sito internet: www.tintolav.com

Email tecnico competente: a.conedera@tintolav.com

National contact: Malta: Emergency Ambulance 112

Accident & Emergency Department 2545 4030

1.4. Emergency telephone number

The UK National Poisons Emergency number +44 (0)870 600 6266

London: Emergency 24 hour telephone +44 (0) 207188 0100

SECTION 2. Hazards identification**2.1. Classification of the substance or mixture**

CAS 7722-84-1 CEE 008-003-00-9 EINECS 231-765-0 REACH 01-2119485845-22

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05, GHS07

Hazard Class and Category Code(s):

Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3

Hazard statement Code(s):

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H335 - May cause respiratory irritation.

Harmful product: do not ingest

If inhaled, the product, causes irritation to the respiratory tract, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to

iris.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS05, GHS07 - Danger



Hazard statement Code(s):
H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H335 - May cause respiratory irritation.

Supplemental Hazard statement Code(s):
not applicable

Precautionary statements:

Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352 - IF ON SKIN: Wash with plenty of water and soap.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor/physician

Storage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 - Dispose of contents / container in accordance with local and national regulations.

Contains:

hydrogen peroxide solution 35%

2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

Hydrogen peroxide breaks down quickly in water or hydrogen and oxygen.

Decomposes. Not bioaccumulative

SECTION 3. Composition/information on ingredients

3.1 Substances

Refer to paragraph 16 for full text of hazard statements

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
hydrogen peroxide solution ...% Note: B	>= 35 < 50%	Ox. Liq. 1, H271; Acute Tox. 4, H302; Skin Corr. 1A, H314; Acute Tox. 4, H332 Limits: Ox. Liq. 1, H271 %C >=70; Ox. Liq. 2, H272 50<= %C <70; Skin Corr. 1A, H314 %C >=70; Skin Corr. 1B, H314 50<= %C <70; Skin Irrit. 2, H315 35<= %C <50; Eye Dam. 1, H318 8<= %C <50; Eye Irrit. 2, H319 5<= %C <8; STOT SE 3, H335 %C >=35; Acute Tox. 4, H332 %C >=50; Acute Tox. 4, H302 %C >=8;	008-003-00-9	7722-84-1	231-765-0	01-2119485 845-22

3.2 Mixtures

Irrilevant

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated room.
CALL A PHYSICIAN.

If breathing has stopped, give artificial respiration.

Direct contact with skin (of the pure product).:

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water and soap

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

The product is harmful and can cause irreversible damages even following a single exposure if swallowed.

Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

Eye irritation eye damage skin irritation, Erythema

4.3. Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Wear a mask, gloves and protective clothing.

Eliminate all open flames and possible sources of ignition. Not smoking.

Provide adequate ventilation.

Evacuate the danger area and, if necessary, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:
None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors
Wear protective gloves/protective clothing/eye protection/face protection.
In residential areas do not use on large surfaces.
At work do not eat or drink.
Do not eat, drink or smoke when using this product.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Keep containers tightly closed.
Always store in well ventilated areas.
Never close the container tightly, leave a chance to vent
Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:
Handle with extreme caution.
Store in a well ventilated place away from heat sources.

Public domain (administration, education, entertainment, services, craftsmen):
Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:
hydrogen peroxide solution 35 %:
TLV: 1 ppm as TWA A3 (approved for the animal carcinogen with unknown relevance to humans); (ACGIH 2004).
MAK: 7.1 0.5 ppm mg/m
Peak limitation category: the (1) cancerogenicity class: 4; Risk group for pregnancy: C; (DFG 2005).

- Substance: hydrogen peroxide solution 35 %
DNEL
Systemic effects Short term Workers inhalation = 3 (mg/m³)
Local effects Long term Workers inhalation = 1,4 (mg/m³)
Local effects Long term Consumers inhalation = 0,21 (mg/m³)
Local effects Short term Workers inhalation = 3 (mg/m³)
Local effects Short term Consumers inhalation = 1,93 (mg/m³)
PNEC
Sweet water = 0,01 (mg/l)
sediment Sweet water = 0,01 (mg/kg/sediment)
Sea water = 0,01 (mg/l)
sediment Sea water = 0,04 (mg/kg/sediment)

intermittent emissions = 0,0138 (mg/l)
STP = 4,66 (mg/l)
ground = 0,0023 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:
Use goggles or face mask



Industrial Manufacturing:
No specific monitoring foreseen

Public domain (administration, education, entertainment, services, craftsmen):
No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection
Wear mask

(b) Skin protection

(i) Hand protection
Handle with gloves. Gloves must be checked before use. Use a technique suitable for removing gloves (without touching the outer surface of the glove) to avoid the skin contact with this product. Dispose of contaminated gloves after use in accordance with current legislation and good laboratory practices. Wash and dry your hands. The selected protective gloves have to satisfy the requirements of EU directive 89/686 / EEC and the resulting EN 374 standards.
Full contact
Material: Nitrile rubber
minimum thickness: 0.11 mm
breakthrough time: 480 min
The choice of an appropriate glove depends not only on the material but also on other quality characteristics which vary from one manufacturer to another.
For the choice of the type of gloves to use, consult the supplier / manufacturer of the gloves.
Observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(ii) Other
When handling the pure product wear full protective skin clothing.

(c) Respiratory protection
Use adequate protective respiratory equipment (EN 14387:2008)

(d) Thermal hazards
No hazard to report

Environmental exposure controls:
Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Liquid	
Colour	in water	
Odour	irrelevant	
Odour threshold	not determined	
pH	3 - 4	
Melting point/freezing point	-33 °C	
Initial boiling point and boiling range	108 °C	
Flash point	> 60 °C	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	nonflammable	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	2,99 hPa	
Vapour density	not determined	
Relative density	1,132 g/cm ³	
Solubility	completely soluble in water	
Water solubility	100vol%	
Partition coefficient: n-octanol/water	- 1.57	
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	not explosive	
Oxidising properties	oxidizing agent	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity**10.1. Reactivity**

Related to contained substances:
hydrogen peroxide solution 35 %:
Can generate dangerous reactions

10.2. Chemical stability

Can generate dangerous reactions

10.3. Possibility of hazardous reactions

Can generate dangerous reactions

10.4. Conditions to avoid

Related to contained substances:
hydrogen peroxide solution 35 %:
Avoid heating of the product, it could explode!

10.5. Incompatible materials

It can generate toxic gases to contact with acids, amide, aliphatic and aromatic amines, carbamate, halogenated substances, isocyanetic, organic sulfide, nitrile, organic phosphates, inorganic sulfide, polymerizable compounds.
It can be easy ignite in contact with other substances.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

ATE oral = ∞
ATE dermal = ∞
ATE inhal = ∞

- (a) acute toxicity: Harmful product: do not ingest
- (b) skin corrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.
- (c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.
hydrogen peroxide solution ...%: Risk of serious eye injury.
- (d) respiratory or skin sensitisation: based on available data, the classification criteria are not met.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- (f) carcinogenicity: based on available data, the classification criteria are not met.
- (g) reproductive toxicity: based on available data, the classification criteria are not met.
- (h) specific target organ toxicity (STOT) single exposure: If inhaled the product, causes irritations to the respiratory tract.
- (i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.
- (j) aspiration hazard: based on available data, the classification criteria are not met.

Acqua ossigenata 130 Volumi:

LD50 (rat) Oral (mg/kg body weight) = 1026

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 4060

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 170

Related to contained substances:

hydrogen peroxide solution ...%:

ROUTES of EXPOSURE: the substance can be absorbed into the body by inhalation of its fumes and ingestion.

INHALATION RISK: A harmful contamination of the air can be reached very quickly due to evaporation of the substance at 20 C.

Effects of short-term exposure: the substance is corrosive to the eyes and skin. The vapor is irritating to the respiratory tract the ingestion of this substance can produce blood oxygen bubbles (embolism), causing shock effects of

REPEATED EXPOSURE or long term: the lungs can be damaged by the inhalation of high concentrations. The

substance may have an effect on the hair, causing discoloration.

ACUTE HAZARDS/symptoms INHALATION sore throat. Cough. Vertigo. Headaches. Nausea. Shortness of breath.

SKIN Corrosive. White spots. Redness. Skin burns. Pain.

Corrosive EYES. Redness. Pain. Blurred vision. Severe deep burns.

INGESTION sore throat. Abdominal pain. Abdominal bloating. Nausea. Vomiting.

LD50 (rat) Oral (mg/kg body weight) = 1026

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 4060

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 170

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information

12.1. Toxicity

Acqua ossigenata 130 Volumi:

C(E)L50 (mg/l) = 16,4

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Hydrogen peroxide breaks down quickly in water or hydrogen and oxygen.

12.3. Bioaccumulative potential

Decomposes. Not bioaccumulative

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product

should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 2014



If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 1 L per package 30 Kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 1 L per package 20 Kg

14.2. UN proper shipping name

ADR/RID/IMDG: PEROSSIDO DI IDROGENO IN SOLUZIONE ACQUOSA contenente almeno il 20% ma al massimo il 60% di perossido di idrogeno (stabilizzata se necessario)

ADR/RID/IMDG: HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)

ICAO-IATA: HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 5.1

ADR/RID/IMDG/ICAO-IATA: Label : 5.1+8

ADR: Tunnel restriction code : E

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 1 L

IMDG - EmS : F-H, S-Q

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: II

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is not environmentally hazardous

IMDG: Marine polluting agent : Not

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EU) No 1357/2014 - waste:

HP4 - Irritant — skin irritation and eye damage

HP5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 1.2. Relevant identified uses of the substance or mixture and uses advised against, 2.2. Label elements, 2.3. Other hazards, 4.1. Description of first aid measures, 6.1. Personal precautions, protective equipment and emergency procedures, 7.1. Precautions for safe handling, 7.3. Specific end use(s), 8.1. Control parameters, 8.2. Exposure controls, 10.4. Conditions to avoid, 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008, 12.5. Results of PBT and vPvB assessment, 12.6. Endocrine disrupting properties, 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of the hazard statements exposed to point 3

H271 = May cause fire or explosion; strong oxidiser.

H302 = Harmful if swallowed.

H314 = Causes severe skin burns and eye damage.

H332 = Harmful if inhaled.

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

** The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.