

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : Hygienfresh Odorblok

Trades code : A32-000

Product line: Hygienfresh

1.2. Relevant identified uses of the substance or mixture and uses advised against

Sanitizing Spray-remove odors, even for the most persistent smells
Industrial Manufacturing[SU3], Private households (= general public = consumers)[SU21], Public domain (administration, education, entertainment, services, craftsmen)[SU22]
Perfumes, Fragrances

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: info@tintolav.com - Sito internet: www.tintolav.com

Email tecnico competente: a.conedera@tintolav.com

National contact: Malta: Emergency Ambulance 112

Accident & Emergency Department 2545 4030

1.4. Emergency telephone number

The UK National Poisons Emergency number +44 (0)870 600 6266

London: Emergency 24 hour telephone +44 (0) 207188 0100

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07, GHS09

Hazard Class and Category Code(s):

Eye Irrit. 2, Aquatic Acute 1

Hazard statement Code(s):

H319 - Causes serious eye irritation.

H400 - Very toxic to aquatic life. (M-factor1)

2.1.2 Classification according to Directive 1999/45/EEC:

Classification:

N; R50/53

Nature of special risks attributed:

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

The product is dangerous for the environment as it is very toxic to aquatic organisms

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS07, GHS09 - Warning



Hazard statement Code(s):
H319 - Causes serious eye irritation.
H400 - Very toxic to aquatic life. (M-factor1)

Precautionary statements:

General

P102 - Keep out of reach of children.

Prevention

P264 - Wash your hand thoroughly after handling.

P273 - Avoid release to the environment.

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Contains:

2-tridecoxyethanol, Propan-2-ol

1,80% of the mixture consists of components whose toxicity is unknown.

The mixture contains 1,80% of the components of which is unknown toxicity to the aquatic environment.

2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of risk phrases and hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
Propan-2-ol - FEMA 2929	> 1 <= 5%	F; R11 Xi; R36 R67 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	603-117-00-0	67-63-0	200-661-7	
2-tridecoxyethanol - FEMA 0	> 1 <= 5%	Xn; R22 Xi; R41 Acute Tox. 4, H302; Eye Dam. 1, H318		24938-91-8		
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides - FEMA 0	> 0,1 <= 1%	C; R34 Xn; R21/22 N; R50 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Corr. 1B, H314;		68424-85-1	270-325-2	

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
		Eye Dam. 1, H318; Aquatic Acute 1, H400 (M-factor100)				
Alcohols, C12-14, ethoxylated	> 0,1 <= 1%	Xi; R41 N; R50 Eye Dam. 1, H318; Aquatic Acute 1, H400		68439-50-9		
tetrasodium ethylenediaminetetraacetate	> 0,1 <= 1%	Xn; R22 Xi; R41 Acute Tox. 4, H302; Eye Dam. 1, H318	607-428-00-2	64-02-8	200-573-9	
Steareth-21	< 0,1%	Xi; R41 Skin Irrit. 2, H315; Eye Dam. 1, H318		9005-00-9	500-017-8	

Fractionated global values

Xn R22 = 2,02	Xi R41 = 2,47	Xn R21/22 = 0,51	C R34 = 0,51
N R51/53 = 2,88	Xi R36 = 4,86	Xi R36/38 = 0,26	Xi R43 = 2,30
Xi = 0,10	Xi R38 = 2,27	N R50/53 = 0,10	N R52/53 = 0,07

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus
Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing Suitable: LaTeX, nitrile, PVC

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors. See also paragraph 8 below.

Absolutely do not use during flowering. The product is toxic to pollinators.

At work do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and `direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:
Handle with extreme caution.
Store in a well ventilated place away from heat sources.

Private households (= general public = consumers):
Handle with care.
Store in ventilated place away from heat sources,
Keep the container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):
Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:
Propan-2-ol
TLV: TWA 200 ppm 400 ppm as STEL A4 (not classifiable as a human carcinogen); (ACGIH 2004).
MAK: 200 ppm 500 mg/m peak limitation Category: II (2); Risk group for pregnancy: C; (DFG 2004).

8.2. Exposure controls

Appropriate engineering controls:
Industrial Manufacturing:
No specific monitoring foreseen

Private households (= general public = consumers):
No specific checks planned

Public domain (administration, education, entertainment, services, craftsmen):
No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection
Not needed for normal use.

(b) Skin protection

(i) Hand protection
Not needed for normal use.

(ii) Other
Wear normal work clothing.

(c) Respiratory protection
Not needed for normal use.

(d) Thermal hazards
No hazard to report

Environmental exposure controls:
Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Straw yellow liquid	
Odour	characteristic	
Odour threshold	not determined	
pH	not determined	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	not determined	
Flash point	> 60 °C	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	nonflammable	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	0.990-1,00 g/cm ³	
Solubility	not determined	
Water solubility	completely soluble in water	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.

It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = 19.445,6 mg/kg

ATE(mix) dermal = 0,0 mg/kg

ATE(mix) inhal = 0,0 mg/l/4 h

(a) acute toxicity: not applicable

(b) skin corrosion/irritation Propan-2-ol: Skin-rabbit

Result: Mild skin irritation

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: rabbit Result: Method: DOT Corrosive

Exposure time: 12:0 am

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

Propan-2-ol: Eyes-rabbit

Result: Eye irritation- 24 h

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: rabbit Result: Caustic Method: DOT

(d) respiratory or skin sensitization: Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: Buehler guinea pig Test Classification: Did not cause sensitization on laboratory animals.

Result: not sensitizing Method: OECD Test Guideline 406

(e) germ cell mutagenicity: not applicable

(f) carcinogenicity: not applicable

(g) reproductive toxicity: not applicable

(h) specific target organ toxicity (STOT) single exposure: not applicable

(i) specific target organ toxicity (STOT) repeated exposure not applicable

(j) aspiration hazard: not applicable

Related to contained substances:

Propan-2-ol

ROUTES of EXPOSURE: the substance can be absorbed into the body by inhalation of its fumes.

INHALATION RISK: A harmful contamination of the air will be reached quite slowly due to evaporation of the substance at 20 C; However, for spraying or scattering, much more quickly.

Effects of short-term exposure: the substance is irritating to the eyes and the respiratory tract the substance may cause effects on the central nervous system, causing depression. Much greater exposure to the OEL may lead to unconsciousness.

Effects of REPEATED EXPOSURE or long term: the liquid degreasing the skin features.

ACUTE HAZARDS/Symptoms INHALATION Cough. Vertigo. Drowsiness. Headaches. Sore throat. See If Swallowed. CUTE CUTE.

EYE Redness.

INGESTION abdominal pain. Difficulty in breathing. Nausea. State of unconsciousness. Vomiting. (Further see inhalation).

N O T and use of alcoholic beverages enhances the harmful effect.

LD50 (rat) Oral (mg/kg body weight) = 2100

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2100

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 29

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

LD50 (rat) Oral (mg/kg body weight) = 344

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 3340

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 5

Alcohols, C12-14, ethoxylated

Oral > LD50 2000 mg/kg (rat)

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 1,6

tetrasodium ethylenediaminetetraacetate

Routes of Entry: Absorbed through skin. Eye contact. Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): >2000 mg/kg [Rat].

Chronic Effects on Humans: May cause damage to the following organs: upper respiratory tract, skin, eyes.

Other Toxic Effects on Humans: Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Acute Potential Health effects: Skin: May cause skin irritation.

Eyes:

May cause eye irritation. Inhalation: May cause irritation of the respiratory tract. Ingestion: May cause gastrointestinal tract

irritation. The toxicological properties of this substance have not been fully investigated.

LD50 (rat) Oral (mg/kg body weight) = 2000

Stearth-21:

LD50 (rat) Oral (mg/kg body weight) = 15000

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

Propan-2-ol

Toxicity to fish LC50-Pimephales promelas (fathead minnow)-9, 640.00 mg/l-96 h

Toxicity to daphnia and other aquatic invertebrates

-EC50 Daphnia magna (Water flea)-5, 102.00 mg/l- 24 h

EC50 Immobilization-Daphnia magna (Water flea)-6.851 mg/l- 24h

C(E)L50 (mg/l) = 5102

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

M-factor100

C(E)L50 (mg/l) = 0,01

Alcohols, C12-14, ethoxylated

EC50 < 1 mg/l (Literaturwert)

NOEC/21 d 0.77 mg/l (Daphnia magna)

C(E)L50 (mg/l) = 0,19

tetrasodium ethylenediaminetetraacetate

Ecotoxicity: Ecotoxicity in water (LC50): 760 mg/l 96 hours [Bull gill sunfish]. 59.8 mg/l 96 hours [Fathead Minnow].

BOD5 and COD: Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

C(E)L50 (mg/l) = 500
Steareth-21
LC50/83d > Oncohynchus mykiss-5.6 mg/l
C(E)L50 (mg/l) = 5,6

The product is dangerous for the environment as it is very toxic to aquatic organisms following acute exposure.
The product can cause long-term adverse effects in the aquatic environment, being hardly degradable and / or bioaccumulative

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Biodegradability:
OECD Confirmatory > 90% Test Method: OECD 303 A Modified SCAS Test Exposure time: 99% 7 d > Method: OECD Test 302 Evolution CO2 Concentration: 5 mg/litre Exposure time: 28 d Result: Readily biodegradable.
95.5% Method: OECD 301 B

tetrasodium ethylenediaminetetraacetate
Partly biodegradable according to OECD test
-BOD5: 50 mg O2/g
-COD: 260 mg O2/g

12.3. Bioaccumulative potential

Related to contained substances:
tetrasodium ethylenediaminetetraacetate
None of the components bio-accumulative

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number

3082

ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg



14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (orides, Amines, C12-16-alkyldimethyl, Alcohols, C12-14, ethoxylated, Propan-2-ol, 1,4-dioxacycloheptadecane-5,17-dione, 2-tert-Butylcyclohexyl acetate)

14.3. Transport hazard class(es)

Class : 9

Label : 9

Tunnel restriction code : E

Limited quantities : 5 L

EmS : F-A, S-F

14.4. Packing group

III

14.5. Environmental hazards

Product is environmentally hazardous

Marine polluting agent : Yes

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available.

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

SECTION 16. Other information

16.1. Other information

Description of the sentences of risk set out in paragraph 3

R11 = Highly flammable.

R21 = Harmful in contact with skin.

R22 = Harmful if swallowed.

R34 = Causes burns.

R36 = Irritating to eyes.

R41 = Risk of serious damage to eyes.
R50 = Very toxic to aquatic organisms.
R67 = Vapours may cause drowsiness and dizziness.

Description of the hazard statements exposed to point 3

H225 = Highly flammable liquid and vapour.
H319 = Causes serious eye irritation.
H336 = May cause drowsiness or dizziness.
H302 = Harmful if swallowed.
H318 = Causes serious eye damage.
H312 = Harmful in contact with skin.
H314 = Causes severe skin burns and eye damage.
H400 = Very toxic to aquatic life.
H315 = Causes skin irritation.

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC
Directive 2001/60/EC
Regulation 1272/2008/EC
Regulation 2010/453/EC

** The information contained herein is based on our knowledge at the date above.
Related solely to the product and do not constitute a guarantee of a particular quality.
It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.
This data sheet cancels and replaces any previous edition.
