

# EU Material Safety Data Sheet

## According to 91/155 EEC& 93/112 EWG

### 1 Identification of substance:





- **Product details:**
- **Trade name:** Wrinkle Remover Aerosol 280 ml
- **Application of the substance / the preparation:** smoothing of textiles without iron
- **Supplier:**  
A 13 S.r.l.  
57, Via Giulio Venini  
I-20127 Milano  
  
Tel: +39 02 28 22 614  
Fax: +39 02 28 28 650  
  
E-Mail: info@a13milano.com  
Web: www.a13milano.com

- **Informing department:** Product safety department
- **Emergency information:**  
Departement for Product Safety  
Toxic and Informations center Zürich  
CH 8030 Zürich, Freiestrasse 16  
Tel: +41 1 251 51 51

### 2 Composition/Data on components:

- **Chemical characterization**
- **Description:** Active substance with propellant.

- **components:**

CAS: 67-63-0 EINECS: 200-661-7	propan-2-ol	 Xi,  F; R 11-36-67	10-25%
CAS: 106-97-8 EINECS: 203-448-7	butane, pure	 F+; R 12	2.5-10%
CAS: 74-98-6 EINECS: 200-827-9	propane liquefied	 F+; R 12	< 2.5%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

### 3 Hazards identification

- **Hazard designation:**



F Highly flammable

- **Information pertaining to particular dangers for man and environment**  
The marking is valid for all pressurized container up to 50ml carrying capacity.  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

# EU Material Safety Data Sheet

## According to 91/155 EEC& 93/112 EWG

**Trade name: Wrinkle Remover Aerosol 280 ml**

(Contd. of page 1)

Warning! Pressurized container.

R 11 Highly flammable.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Do not pierce or burn, even after use.

20.3 % by mass of the contents are flammable

Keep out of the reach of children

• **Classification system**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

### 4 First aid measures

• **General information** Instantly remove any clothing soiled by the product.

• **After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness bring patient into stable side position for transport.

• **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.

• **After swallowing**

Do not induce vomiting; instantly call for medical help.

A person vomiting while lying on their back should be turned onto their side.

### 5 Fire fighting measures

• **Suitable extinguishing agents**

CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.

• **For safety reasons unsuitable extinguishing agents**

Water.

Water with a full water jet.

• **Special hazards caused by the material, its products of combustion or resulting gases:**

Formation of toxic gases is possible during heating or in case of fire.

Heat will increase pressure and may lead to the container exploding.

• **Protective equipment:**

Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

• **Additional information** Cool endangered containers with water spray jet.

### 6 Accidental release measures

• **Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with the eyes and skin.

Keep away from ignition sources

• **Measures for environmental protection:**

Do not allow to enter drainage system, surface or ground water.

• **Measures for cleaning/collecting:**

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

(Contd. on page 3)

# EU Material Safety Data Sheet

## According to 91/155 EEC& 93/112 EWG

Trade name: Wrinkle Remover Aerosol 280 ml

· **Additional information:** See Section 7 for information on safe handling

(Contd. of page 2)

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Store in cool, dry place in tightly closed containers.
- **Information about protection against explosions and fires:**
  - Do not spray on flames or red-hot objects.
  - Keep ignition sources away - Do not smoke.
  - Protect against electrostatic charges.
  - Beware: Container is pressurized. Keep away from direct sun exposure and temperatures over 50°C. Do not open by force or throw into fire even after use.
- **Storage**
- **Requirements to be met by storerooms and containers:**
  - Store in cool location.
  - Store only in the original container.
  - Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
  - Store in cool, dry conditions in well sealed containers.
  - Store in a cool place. Heat will increase pressure and may lead to the container exploding.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

#### 67-63-0 propan-2-ol

OES (Great Britain)	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm Long-term value: 999 mg/m <sup>3</sup> , 400 ppm
---------------------	--

#### 106-97-8 butane, pure

OES (Great Britain)	Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm
---------------------	---

#### 74-98-6 propane liquefied

OES (Great Britain)	Asphyxiant
---------------------	------------

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **Personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures should be adhered to general rules for handling chemicals.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.

- **Breathing equipment:** Use breathing protection in case of insufficient ventilation.

- **Protection of hands:**

Protective gloves.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

# EU Material Safety Data Sheet

## According to 91/155 EEC& 93/112 EWG

Trade name: Wrinkle Remover Aerosol 280 ml

(Contd. of page 3)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed safety glasses.

### 9 Physical and chemical properties:

· **General Information**

<b>Form:</b>	Aerosol
<b>Colour:</b>	According to product specification
<b>Odour:</b>	Characteristic

· **Change in condition**

**Melting point/Melting range:** Not determined

**Boiling point/Boiling range:** -44°C

· **Flash point:** 13°C

· **Ignition temperature:** 425°C

· **Self-inflammability:** Product is not self igniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/steam mixtures is possible.

· **Critical values for explosion:**

**Lower:** 2.0 Vol %

**Upper:** 12.0 Vol %

· **Vapour pressure at 20°C:** 40 hPa

· **Density at 20°C** 0.919 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

**Water:** Not miscible or difficult to mix

· **pH-value at 20°C:** 9

· **Solvent content:**

**Organic solvents:** 20.0 %

### 10 Stability and reactivity

· **Thermal decomposition/ Conditions to be avoided:**

No decomposition if used and stored according to specifications.

· **Dangerous reactions** Danger of bursting

· **Dangerous products of decomposition:** none

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:** no data available.

· **Primary irritant effect:**

· **on the skin:** no data available.

(Contd. on page 5)

# EU Material Safety Data Sheet

## According to 91/155 EEC& 93/112 EWG

Trade name: Wrinkle Remover Aerosol 280 ml

(Contd. of page 4)

- **on the eye:** no data available.
- **Sensitisation:** No sensitising effect known.

### 12 Ecological information:

- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### 13 Disposal considerations

- **Product:**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Hand over to disposers of hazardous waste.  
Disposal must be made according to official regulations.

#### · European waste catalogue

16 05 04	gases in pressure containers (including halons) containing dangerous substances
----------	---

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID-GGVS/E Class:** 2 5F Gases.
- **Kemler Number:** 23
- **UN-Number:** 1950
- **Packaging group:** -
- **Label** 2.1
- **Designation of goods:** 1950 AEROSOLS

- **Maritime transport IMDG:**



- **IMDG Class:** 2.1
- **UN Number:** 1950
- **Label** 2.1
- **Packaging group:** -
- **EMS Number:** F-D,S-U
- **Marine pollutant:** No

(Contd. on page 6)

# EU Material Safety Data Sheet

## According to 91/155 EEC& 93/112 EWG

Trade name: Wrinkle Remover Aerosol 280 ml

(Contd. of page 5)

· **Correct technical name:** AEROSOLS

· **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 2.1
- **UN/ID Number:** 1950
- **Label:** 2.1
- **Packaging group:** -
- **Correct technical name:** AEROSOLS, flammable

### 15 Regulatory information

· **Designation according to EC guidelines:**

The product has been classified and labelled in accordance with EC Directives and the Ordinance on Hazardous Materials (GefStoffV).

· **Code letter and hazard designation of product:**



F Highly flammable

· **Risk phrases:**

11 Highly flammable.

· **Safety phrases:**

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition - No smoking.
- 24/25 Avoid contact with skin and eyes.
- 33 Take precautionary measures against static discharges.
- 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

· **Special designation of certain preparations:**

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.  
Do not pierce or burn, even after use.  
20.3 % by mass of the contents are flammable  
Keep out of the reach of children

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
NK	10-25

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

GB

(Contd. on page 7)

# EU Material Safety Data Sheet

According to 91/155 EEC& 93/112 EWG

Trade name: Wrinkle Remover Aerosol 280 ml

(Contd. of page 6)

## 16 Other information:

Information is based on our current knowledge but does not establish a promise of product characteristics and does not substantiate any contractual legal relationship. Drawing of back-up data file for:

MSDS - Service - Center gmbH.  
Materiel-Safety-Data-Sheet  
Alemannenstrasse 49  
6830 Rankweil  
AUSTRIA

Tel.: +43-(0)5522-60067  
Fax.: +43-(0)5522-41031  
E-Mail: msds@gmx.at  
www.msds.at

• **Relevant R-phrases**

- 11 Highly flammable.
- 12 Extremely flammable.
- 36 Irritating to eyes.
- 67 Vapours may cause drowsiness and dizziness.

• **Contact:** see page 1

GB